# Exclusive HOT ROLLING

Miramac Hot Rolling Process



Cracking and Fracturin

Miramac Metals Hot Rolling process provides better protection than the traditional rollforming methods. This **Exclusive Hot Rolling Process** allows the material to remain flexible, keeping more elasticity in the paint system during the rollforming process.

Cracking and fracturing in the paint system from traditional rollforming methods leads to abnormal fading, chalking and aging.

### Miramac Metals, Inc. uses the most advanced technology available today!

Leaving your project with a high quality, long lasting finish that will keep your investment looking new.

#### **CORPORATE OFFICE**

13906 N. Newport Hwy. I Mead, WA 99021 **509.466.1732** 

#### **PASCO OFFICE**

1699 E. Ainsworth I Pasco, WA 99301 **509.545.0170** 

























Armor Tex's innovative coating provides a lustrous, textured finish unlike the standard painted panels. The contemporary finish will add a unique visual interest to your project.

#### **Finish**


• Durable textured finish • Low gloss finish

**ARMORTEX** is available in Tuff Rib, Designer Panel, Apex Panel, Vented Soffit, Solid Soffit and Double 6 Wall Panel.





















Miramac Metal's brand new **Apex Panel** is a one of a kind panel that offers a low profile and sleek design.

The stylish panel provides 36" coverage and is available in all 31 colors, making it ideal for interiors, exteriors, residential, commercial and agricultural applications.

This new panel provides the look of Snap Lock, but is a sleek, new alternative to Tuff Rib.



# Sealed and Bare Residual Sealed and Bare

**Sealed Rustic,** A 606, commonly known as Corten offers a rustic, Weathering steel appearance, while remaining incredibly resistant to Corrosion. **Sealed rustic** will out perform carbon based products by forming a rusted surface layer that permeates the pores of the steel protecting the layers beneath.



#### **1 DAY AFTER FIRST RAIN**

Only a slight visible difference but the rusting process has begun.



#### **3 DAYS AFTER FIRST RAIN**

Rust is now visible and spreading.



#### **10 DAYS AFTER FIRST RAIN**

Light rust has almost covered the entire surface. This will be the longest rusting stage in the natural process.



#### **20 DAYS AFTER FIRST RAIN**

Rust has covered the entire surface of the metal.

Sealed Rustic is ONLY available in Apex, Designer and PBR Panels. Bare Rustic is ONLY available in Snap Lock







Rustic Designer Pane



Rustic Designer Pane



istic Snap Lock



**Rustic Designer Panel** 









### Add some flair to your project using



## DESIGNER PANEL

Move away from the ordinary toward something with style by using the **Designer Panel**. Customize your project with color and texture.


The versatility of **Designer Panel** allows for both Vertical and Horizontal applications. This combination provides multiple options that change the look and feel of your project.

Designer Panel is available in 31 plus colors.









The **Snap Lock** panel is a concealed fastener panel with a built in screw flange for ease of installation that conceals all fasteners






## Double 6 Wall Panel



- Use the Double 6 Wall Panel as a concealed fastener wall panel
- Available in 12' lengths only
- Available in 26 standard colors and 4 Armor Tex colors
- Matching accessories







- Available in solid or vented
  - Interlocking 12" wide concealed fastener panel
  - Available in 12' lengths only
  - Available in 26 standard colors and 4 Armor Tex colors
    - Matching accessories